



Let's Switch to Brighter World

LIGHTING UP YOUR

IMAGINATION



Let's Switch to Brighter World

Mfg. By : **RATNAKAR RATNAMANI INDUSTRIES**

Ahmedabad-382415. (Gujarat) INDIA

Customer Care : info@rfiveindia.com Web : www.rfiveindia.com

FOR MORE INFORMATION



PRODUCT CATALOGUE JAN 2026

“THE **R FIVE** STORY POWERING PROGRESS,”

ABOUT US

R FIVE is known to Bring Revolutionary Ideas to the Concept of Electrical Accessories Manufacturing . RATNAKAR RATANAMANI INDUSTRIES is the largest Manufacturer of Electrical Accessories items in India.

Established in 2017 in Gujarat, Ahmedabad. R-Five Brand is Built on Competitive Pricing, Quality Products and Superior Customer Service.

Our Products Range of Cable Tie, Cable Clips, Metal Gang Box, Orion Surface Box, Modular Silver line box, Modular Box, Fan sheet, Round sheet, Electrical Tape, Dry Wall Screw, Wall Plug (Gitti), Flood Light, Street Light, Panel Light, Bulb Holder , Strip Light, Rope Light etc.

Included in our Commitment to Continuous Improvement, our Production Processes are Engineered to Maximize the use of Automation and Respond Quickly to Changes, Whether Our Production Runs are Short or Long. We are using High Quality Chinese Raw Material for our Production. The Entire Range of Products is Designed and Developed using Advanced level of Technology And Standard Components to meet the Requirements of the Modern era.

Thus, We are Well-prepared with the Available Resources to Keep place with the modern Trend and Industrial Standards.



SPARK

FLOOD LIGHT

POWERFUL LIGHTING,
PERFECT CLARITY

LED
FLOOD LIGHT

SPARK FLOOD LIGHT DOB SERIES - DRIVERLESS

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RF SP 2010	30W	3000LM	WHITE	1092.00	20
RF SP 2011	50W	5000LM	WHITE	1505.00	20
RF SP 2012	100W	10000LM	WHITE	2753.00	10
RF SP 2013	150W	15000LM	WHITE	4130.00	10
RF SP 2014	200W	20000LM	WHITE	5507.00	05

Input Voltage
110-270 VAC

Input Frequency
50/60 HZ

CRI
>80

Protection Level
IP66

Power Factor
>0.95 the : <15



LED FLOOD LIGHT LENS MODEL

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
R1705	30W	3000LM	WW/NW/CW	1796.00	30
R1706	50W	5000LM	WW/NW/CW	2228.00	20
R1707	100W	10000LM	WW/NW/CW	3678.00	14
R1708	150W	15000LM	WW/NW/CW	5517.00	10
R1709	200W	20000LM	WW/NW/CW	6815.00	08

Input Voltage
110-270 VAC

Input Frequency
50/60 HZ

CRI
>80

Protection Level
IP66

Power Factor
>0.95 the : <15



LED FLOOD LIGHT GLASS MODEL

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
R1705	30W	3000LM	WW/NW/CW	1796.00	30
R1706	50W	5000LM	WW/NW/CW	2228.00	20
R1707	100W	10000LM	WW/NW/CW	3678.00	14
R1708	150W	15000LM	WW/NW/CW	5517.00	10
R1709	200W	20000LM	WW/NW/CW	6815.00	08

Input Voltage
110-270 VAC

Input Frequency
50/60 HZ

CRI
>80

Protection Level
IP66

Power Factor
>0.95 the : <15



BRINGING
CLARITY
TO EVERY
NIGHT.



LED FLOOD LIGHT

GLIMPRO FLOOD LIGHT DOB SERIES

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
WN01A-50W	50W	5000LM	WW/CW	1672.00	20
WN02A-100W	100W	10000LM	WW/CW	2911.00	12
WN03A-150W	150W	15000LM	WW/CW	4130.00	10
WN04A-200W	200W	20000LM	WW/CW	5507.00	05

Input Voltage
110-270 VAC

Input Frequency
50/60 HZ

CRI
>80

Protection Level
IP66

Power Factor
>0.95 the : <15



FIGO - FLOOD LIGHT SERIES (INBUILT DRIVER)

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RF FG 3010	20W	3000LM	WW/NW/CW	1463.00	20
RF FG 3011	30W	5000LM	WW/NW/CW	1927.00	10
RF FG 3012	50W	10000LM	WW/NW/CW	2047.00	10
RF FG 3013	100W	15000LM	WW/NW/CW	3511.00	5
RF FG 3014	200W	20000LM	WW/NW/CW	7182.00	3

Input Voltage
110-270 VAC

Input Frequency
50/60 HZ

CRI
>80

Protection Level
IP66

Power Factor
>0.95 the : <15



GLINT - FLOOD LIGHT SERIES

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
8501GM	30W	3000LM	WW/NW/CW	1860.00	20
8502GM	50W	5000LM	WW/NW/CW	2293.00	20
8503GM	100W	10000LM	WW/NW/CW	3721.00	10
8504GM	150W	15000LM	WW/NW/CW	5625.00	10
8505GM	200W	20000LM	WW/NW/CW	6706.00	05

Input Voltage
110-270 VAC

Input Frequency
50/60 HZ

CRI
>80

Protection Level
IP66

Power Factor
>0.95 the : <15



GUARDING EVERY CORNER WITH LIGHT



LED FLOOD LIGHT

SONIC FLOOD LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFSN50	50W	5000LM	3 IN 1	1869.00	20
RFSN100	100W	10000LM	3 IN 1	3109.00	10

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---



GLOWEDGE FLOOD LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFGF50	50W	3000LM	WW	1619.00	20
RFGF100	100W	5000LM	WW	2871.00	10

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---



LEGERO HIGHBAY LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFLO100W	100W	11000LM	WH	5473.00	20
RFLO150W	150W	16500LM	WH	6425.00	15
RFLO200W	200W	22000LM	WH	9411.00	12

Input Voltage 110-280 V	Output Voltage 85-264 VAC	CRI >70	Beam Angle 90°	Power Factor >0.90	
----------------------------	------------------------------	------------	-------------------	-----------------------	---



SPARK STREET LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RF SL 01	30W	3000LM	WH	2347.00	10
RF SL 02	50W	5000LM	WH	2877.00	10
RF SL 03	72W	7200LM	WH	3310.00	8
RF SL 04	100W	10000LM	WH	4943.00	4
RF SL 05	150W	15000LM	WH	8058.00	4

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---

LED STREET LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
R1701	24W	2400LM	WH	1211.00	40
R1702	36W	3600LM	WH	1692.00	30
R1703	50W	5000LM	WH	2163.00	30
R1704	100W	10000LM	WH	4327.00	14

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---

RAYLUXE STREET LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
R1801	36W	4680LM	3K / 4K / 6.5K	1995.00	20
R1802	50W	6500LM	3K / 4K / 6.5K	2087.00	20
R1803	100W	13000LM	3K / 4K / 6.5K	3386.00	15

Input Voltage 110-270 VAC	Input Frequency 50/60 HZ	CRI >80	Protection Level IP66	Power Factor >0.95 the : <15	
------------------------------	-----------------------------	------------	--------------------------	---------------------------------	---

BRIGHTEN
ROADS,
LIGHTEN
LIVES



**BRIGHT
NIGHTS,
POWERED BY
THE SUN**



**IP65
Water Proof**



**5000mAh
Battery**



**Dusk to
Dawn**



**IR Remote
Control**

SOLUXE SOLAR STREET LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFSSL100W	100W	530LM	WH	5192.00	10
RFSSL150W	150W	700LM	WH	7355.00	08
RFSSL200W	200W	780LM	WH	9086.00	05

WATT	DIMENSION IN MM	BATTERY
100W	395(L) X 205(W) X 60(H)	3.2V, 5000 MAH
150W	500(L) X 230(W) X 75(H)	3.2V, 10000 MAH
200W	630(L) X 248(W) X 175(H)	3.2V, 10000 MAH

Panel Material
Monocrystalline Silicon

Protection Level
IP65

IR Remote
Control



STRIP LIGHT



Glowline

LED STRIP LIGHT

"Illuminate your space with the brilliance of strip lights, the perfect blend of style and functionality. Whether you're looking to highlight architectural features, create ambient lighting, or add a modern touch to your home or business, strip lights offer versatile solutions.

UNITECH 2835 LED STRIP LIGHT (PURE COPPER PCB HEAVY)

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF UT2201	DC12V	10 MM / 5 MTR.	WH, NW, WW	195.00	60

Led Qty. 240 LED	CRI >80	IP Code IP20	Thickness 10 MM
---------------------	------------	-----------------	--------------------



GLOWLINE 2835 LED STRIP LIGHT

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF GL2301	DC12V	10 MM / 5 MTR.	WH, NW, WW, BL	117.00	100
RF GL2302	DC12V	10 MM / 5 MTR.	GR, RD, PINK	134.00	100
RF GL2303	DC12V	10 MM / 5 MTR.	AMBER , ICE BLUE	143.00	100

Led Qty. 240 LED	CRI >80	IP Code IP20	Thickness 10 MM
---------------------	------------	-----------------	--------------------

GLOWLINE 2835 LED STRIP LIGHT

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF GL2304	DC12V	10 MM / 5 MTR.	WH, NW, WW, BL	69.00	100
RF GL2305	DC12V	10 MM / 5 MTR.	GR, RD, PINK	87.00	100
RF GL2306	DC12V	10 MM / 5 MTR.	AMBER , ICE BLUE	95.00	100

Led Qty. 120 LED	CRI >80	IP Code IP20	Thickness 10 MM
---------------------	------------	-----------------	--------------------

GLOWLINE RGB COB STRIP LIGHT WITH REMOTE AND ADAPTER

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF GL2307	DC12V	10 MM / 5 MTR.	RGB	1258.00	15 ROLL

* RGB With Different Function



AESTHETIC

WIRELESS ROPE LIGHT

Whether you're decorating for a festive holiday, adding a romantic touch to your patio, or enhancing the safety of a stairway, rope lights offer a practical and visually appealing solution. Their versatility, durability, and energy efficiency make them a popular choice for both residential and commercial applications, providing a unique blend of function and style.

AESTHETIC PLATINUM 2835 LED ROPE LIGHT

Outer Dia. : 10 MM

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF PM3001	DC24V	6.8 MM / 50 MTR.	WH, WW, BL, NW	104.00	05
RF PM3002	DC24V	6.8 MM / 50 MTR.	GR, RD, IB, AMBER	108.00	05
RF PM3003	DC24V	6.8 MM / 50 MTR.	PINK	112.00	05

AESTHETIC GOLD 2835 LED ROPE LIGHT

Outer Dia. : 8 MM

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF GD3004	DC24V	6.8 MM / 50/30 MTR.	WH, WW, BL	87.00	05
RF GD3005	DC24V	6.8 MM / 50/30 MTR.	GR, RD, IB, AMBER	95.00	05
RF GD3006	DC24V	6.8 MM / 50/30 MTR.	PINK	100.00	05

AESTHETIC SILVER 2835 LED ROPE LIGHT

Outer Dia. : 8 MM

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF SL3007	DC24V	6.8 MM / 36 MTR.	WH, WW, BL	87.00	05
RF SL3008	DC24V	6.8 MM / 36 MTR.	GR, RD, IB, AMBER	95.00	05
RF SL3009	DC24V	6.8 MM / 36 MTR.	PINK	100.00	05

AESTHETIC 2835 LED RGB ROPE LIGHT

Outer Dia. : 10 MM

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF RGBL3010	DC24V	6.8 MM / 50 MTR.	RGB	164.00	01

* Adapter to be purchase separately

AESTHETIC CONNECTOR

ITEM CODE	M.R.P.	PKG
RF AC01	87.00	500/BAG



Ultra Efficient
LED Saves Upto
80% energy".



No Harmful
UV/IR
Radiation.



Upto 15 times
Longer Life Aprx
30000 Hrs Life*.



Strong
Aluminium
Housing.



Eye Comfort
Technology

HIGHER LUMEN
HIGHER BRIGHTNESS



2835
SMD

26
LUMENS
PER LED

IP
65

CRI
>80

120
LED
PER MTR.



UNITECH 2835 LED ROPE LIGHT

Outer Dia. : 10 MM

ITEM CODE	VOLTAGE	SIZE / MTR.	COLOUR	M.R.P. PER MTR.	PKG
RF UT4001	DC24V	6.8 MM / 50 MTR.	WW, WH, NW, BLUE	160.00	04
RF Ut4002	DC24V	6.8 MM / 50 MTR.	RED, GREEN, PINK ICE BLUE, AMBER	164.00	04

8 WATT PER METER



ROPE LIGHT ADOPTER

ITEM CODE	WATT	VOLTAGE	AMPS.	COLOUR	M.R.P.	PKG
RF AD4003	60W	12V	5A.	WHITE	97.00	100



TIRANGA ROPE LIGHT

IP65

ITEM CODE	WATT	VOLTAGE	OUTER DIA.	COLOUR	M.R.P. PER MTR.	PKG
RFIH001	8W/MTR.	12V	10MM	TIRANGA	167.00	216 MTR



COB NEON ROPE LIGHT

Outer Dia. : 10 MM

ITEM CODE	VOLTAGE	MTR. PER ROLL	COLOUR	M.R.P. PER MTR.	PKG
RFNR01	DC24V	50 MTR.	WW	205.00	200 MTR

320 LED CHIPS PER MTR.

IP65



Ultra Efficient
LED Saves Upto
80% energy".



No Harmful
UV/IR
Radiation.



Upto 15 times
Longer Life Aprx
30000 Hrs Life*.



Strong
Aluminium
Housing.



Eye Comfort
Technology

LED POWER SUPPLY

- 

Short Circuit Protection
- 

Hight Voltage Protection
- 

Open Circuit Protection



YOUR LIGHTS SYNC BETTER
WITH OUR DRIVERS!

LED POWER SUPPLY

VOLTIFTY LED POWER SUPPLY

ITEM CODE	WATT	AMPS.	M.R.P.	PKG
RF VF 2101	60W	5A.	684.00	100
RF VF 2102	120W	10A.	831.00	100
RF VF 2103	200W	16.7A.	1194.00	100
RF VF 2104	300W	25A.	1454.00	50

VOLTAGE : 12V COLOUR : GREY



BRIGHTIFY LED POWER SUPPLY

ITEM CODE	WATT	AMPS.	M.R.P.	PKG
RF BF 2105	60W	5A.	584.00	100
RF BF 2106	120W	10A.	768.00	100
RF BF 2107	200W	16.7A.	1049.00	50
RF BF 2108	300W	25A.	1255.00	50

VOLTAGE : 12V COLOUR : GREY



SPOTIFY LED POWER SUPPLY

ITEM CODE	WATT	AMPS.	M.R.P.	PKG
RSPS60W	60W	5A.	515.00	100
RSPS120W	120W	10A.	747.00	50

VOLTAGE : 12V COLOUR : GREY



ELITE MINI POWER SUPPLY

ITEM CODE	WATT	AMPS.	M.R.P.	PKG
REPS60W	60W	-	1321.00	100
RSPS100W	120W	-	1770.00	50
RSPS200W	200W	-	2200.00	50

VOLTAGE : 12V COLOUR : BLACK




LED INDOOR LIGHT



EDGE PANEL LIGHT MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RPL01	8W	800LM	WH / WW	394.00	36
RPL02	15W	1500LM	WH / WW	575.00	36
RPL03	15W (6x6)	1500LM	WH / WW	658.00	36
RPL04	22W	2200LM	WH / WW	757.00	36



3 IN 1 EDGE PANEL LIGHT MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RPL01	8W	800LM	3 IN 1	503.00	36
RPL02	15W	1500LM	3 IN 1	712.00	36
RPL03	15W (6x6)	1500LM	3 IN 1	857.00	36
RPL04	22W (6x6)	2200LM	3 IN 1	956.00	36



FLARE FLAT PANEL LIGHT MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFPL01R	8W	800LM	WH / WW	485.00	40
RFPL01S	8W	800LM	WH / WW	506.00	40
RFPL04R	12W	1200LM	WH / WW	671.00	40
RFPL04S	12W	1200LM	WH / WW	671.00	40
RFPL02R	15W	1500LM	WH / WW	725.00	40
RFPL02S	15W	1500LM	WH / WW	751.00	40
RFPL03R	22W	2200LM	WH / WW	978.00	20
RFPL03S	22W	2200LM	WH / WW	1010.00	20



HIGH BRIGHTNESS
& ILLUMINATION

NEW LED INDOOR LIGHT



HIGH BRIGHTNESS
& ILLUMINATION



BRILLIANTLY BRIGHT,
RADIATING EXCELLENCE
WITH HIGH-LUMEN
PERFORMANCE.



ROBUST >2.5 Kva SURGE
PROTECTION FOR ULTIMATE
RESILIENCE

REFLECTS
LIGHT THAT
YOUR TRUE BEAUTY

LED
INDOOR LIGHT



CREON PANEL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFCO12W	12W	1146LM	WH / WW / NW	822.00	50
RFCO18W	18W	1809LM	WH / WW / NW	1233.00	50
RFCO24W	24W	2457LM	WH / WW / NW	1623.00	40
RFCO32W	32W	3612LM	WH / WW / NW	2466.00	20



POLO LED PANEL LIGHT

ITEM CODE	WATT	LUMENS	CUTOUT	COLOUR	M.R.P.	PKG
RPO01	6W	600LM	-	3K / 6.5K	503.00	50
RPO02	10W	1000LM	-	3K / 6.5K	660.00	30
RPO03	15W	1500LM	-	3K / 6.5K	857.00	30
RPO04	20W	2000LM	-	3K / 6.5K	1160.00	20

Material
Aluminium Housing

AC85-305V

PF
>0.95

SHAPE : RD / SQ






Powering
Productivity
With Perfect Light.

Bring every space to life with bright, uniform, and energy-efficient illumination. 2x2 LED Panel Light combines ultra-slim elegance with reliable, long-lasting performance.

LED
INDOOR LIGHT



2 X 2 BLAZE BACKLIT PANEL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFB48W	48W	4800LM	WH	3721.00	10



GLOW EDGE LED PANEL LIGHT

ITEM CODE	WATT	LUMENS	CUTOUT	COLOUR	M.R.P.	PKG
RFGE01	8W	800LM	-	WH / WW / NW	586.00	60
RFGE01	8W	800LM		3 IN 1	732.00	60
RFGE02	12W	1200LM	145MM	WH / WW	706.00	60
RFGE03	15W	1500LM	145MM	WH / WW / NW	784.00	40
RFGE03	15W	1500LM	170MM	3 IN 1	1051.00	40
RFGE04	22W	2200LM	170MM	WH / WW / NW	1129.00	20
RFGE04	22W	2200LM	225MM	3 IN 1	1422.00	20
RFGE05	30W	3000LM	225MM	WH / WW / NW	2197.00	10

Material Aluminium Housing	AC85-305V	PF >0.6	SHAPE : RD / SQ	2 YEAR WARRANTY
-------------------------------	-----------	------------	-----------------	--------------------

Lighting That
Elevates Your Space



Illuminate your space with smart simplicity. Lytix LED Junction Down lights designed for comfort and class, enhancing every room with even lighting and unmatched energy efficiency.

LED
INDOOR LIGHT



LYTIX JUNCTION DOWN LIGHT

 MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RLDL03	3W	300LM	3K/4K/6.5K/RD/GR/ BL/ PK	130.00	100
RLDL03	3W	300LM	RGB / 3 IN 1	164.00	100
RLDL08	8W	800LM	3K/4K/6.5K/RD/GR/ BL/ PK	188.00	100
RLDL08	8W	800LM	RGB / 3 IN 1	225.00	100



CLARA COB DOWNLIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RCDL03	3W	240LM	3K/6.5K/RD/GR/ BL/ PK	139.00	200
RCDL03	3W	240LM	W+WW / RD+BL	197.00	200
RCDL07	7W	560LM	3K/6.5K/RD/GR/ BL/ PK	216.00	200
RCDL07	7W	560LM	W+WW / RD+BL	260.00	200




NIVIO COB JUNCTION LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFNV3W	3W	240LM	WH/WW/NW	220.00	100
RFNV3W	3W	240LM	BL/GR/PK	230.00	100
RFNV3W	3W	560LM	WH+WW / RD+BL	302.00	100
RFNV7W	7W	560LM	WH/WW/NW	450.00	100
RFNV7W	7W	560LM	WH+WW	511.00	100



Non Isolated Driver 85-300V	PF >0.6	CRI >80	Beam Angle 60	Body Colour White	Protection Level IP20	COB LED CHIP
--------------------------------	------------	------------	------------------	----------------------	--------------------------	-----------------

LIGHT THAT REFLECTS PERFECTION.



REON COB LIGHT COMBINES PRECISION DESIGN WITH POWERFUL PERFORMANCE TO DELIVER FOCUSED, AMBIENT LIGHTING. PERFECT FOR MODERN INTERIORS AND COMMERCIAL SPACES, IT OFFERS ENERGY EFFICIENCY AND LONG-LASTING BRILLIANCE.

LED INDOOR LIGHT

ROPIX COB DOWN LIGHT

ITEM CODE	WATT	LUMENS	SIZE(MM)	CUTOUT	COLOUR	M.R.P.	PKG
RFRX7W	7W	700LM	63XH60	Φ55	3K / 4K	692.00	50
RFRX12W	12W	1200LM	84XH61	Φ75	3K / 4K	909.00	50
RFRX18W	18W	1800LM	90XH87	Φ85	3K / 4K	1125.00	30



3 IN 1 ROPIX COB DOWN LIGHT

ITEM CODE	WATT	LUMENS	SIZE(MM)	CUTOUT	COLOUR	M.R.P.	PKG
RFRX7W	7W	700LM	63XH60	Φ55	3 IN 1	922.00	50
RFRX12W	12W	1200LM	84XH61	Φ75	3 IN 1	1168.00	50
RFRX18W	18W	1800LM	90XH87	Φ85	3 IN 1	1536.00	30



Material Heavy Duty Aluminium body + Coating	Body Colour White	CRI >80	Beam Angle 60	Protection Level IP20	COB LED CHIP	2 YEAR WARRANTY
--	----------------------	------------	------------------	--------------------------	-----------------	---------------------------

REON COB LIGHT

ITEM CODE	WATT	LUMENS	SIZE(MM)	CUTOUT	COLOUR	M.R.P.	PKG
RFRO7W	7W	700LM	63XH60	Φ55	3K/4K/6.5K	757.00	50
RFRO12W	12W	1200LM	84XH61	Φ75	3K/4K/6.5K	1017.00	50
RFRO18W	18W	1800LM	90XH87	Φ85	3K/4K/6.5K	1266.00	30



3 IN 1 REON COB LIGHT

ITEM CODE	WATT	LUMENS	SIZE(MM)	CUTOUT	COLOUR	M.R.P.	PKG
RFRO7W	7W	700LM	63XH60	Φ55	3 IN 1	943.00	50
RFROL12W	12W	1200LM	84XH61	Φ75	3 IN 1	1190.00	50
RFRO18W	18W	1800LM	90XH87	Φ85	3 IN 1	1558.00	30



Material Heavy Duty Aluminium body + Electroplating	CRI >80	Beam Angle 60	Protection Level IP20	COB LED CHIP	 Black Body + Rose Gold  White Body + Black  White Body + Rose Gold	2 YEAR WARRANTY
---	------------	------------------	--------------------------	-----------------	---	---------------------------



WHERE

GLOW

MEETS INNOVATION.



LUMERA LED COB LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RLM03	3W	80-85LM PER WATT	3K / 4K	605.00	-
RLM06	6W	80-85LM PER WATT	3 CCT	995.00	-
RLM12	12W	80-85LM PER WATT	3 CCT	1160.00	-
RLM18	18W	80-85LM PER WATT	3 CCT	1475.00	-
RLM24	24W	80-85LM PER WATT	3 CCT	2183.00	-
RLM30	30W	80-85LM PER WATT	3 CCT	2592.00	-
RLM40	40W	80-85LM PER WATT	3 CCT	3441.00	-
RLM50	50W	80-85LM PER WATT	3 CCT	3697.00	-

DOB 165-400V | CRI >80 | PF >0.95 | Protection Level IP20 | COB LED CHIP

1 YEAR WARRANTY

GLOWIN DEEP DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFGD12W	12W	80LM PER WATT	3 CCT	1080.00	60
RFGD18W	18W	80LM PER WATT	3 CCT	1365.00	40
RFGD24W	24W	80LM PER WATT	3 CCT	1770.00	20

DOB 165-400V | CRI >80 | PF >0.9 | Protection Level IP20 | COB LED CHIP

1 YEAR WARRANTY

AEROX DOWN LIGHT MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFLX8+8W	8+8W	1600LM	CW, CW+GR, CW+PGB CW+BL, CW+PK	350.00	60
RFLX12+12W	12+12W	2400LM	CW, CW+GR, CW+PGB CW+BL, CW+PK	593.00	40

Input Voltage 110-280 V | Output Voltage 85-264 VAC | CRI >70 | Beam Angle 90° | Power Factor >0.90

2 YEAR WARRANTY

LIGHTING
THAT

DEFINES
ELEGANCE.

A ceiling light is more than just illumination—it's a statement of beauty that transforms your space. With its elegant glow, it highlights every corner, creating an atmosphere of warmth and sophistication. Whether modern or classic, the right ceiling light adds charm to your interiors, making ordinary rooms feel extraordinary. It's not just about brightness; it's about creating a perfect balance of style, comfort, and radiance that enhances the true beauty of your home.



OPTILUX MOVABLE SURFACE COB LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFPL7W	7W	700LM	WW	1160.00	100
RFPL12W	12W	1200LM	WW	1420.00	50

BODY COLOUR : BLACK + RGD



FABIA COB LIGHT WITH REFLECTOR

ITEM CODE	WATT	LUMENS	COLOUR	CUTOUT	M.R.P.	PKG
RFFA7W	7W	100LM/WATT	3K / 4K	Ø 55	2726.00	50
RFFA12W	12W	100LM/WATT	3K / 4K	Ø 75	3115.00	50

BODY COLOUR : WHITE + GUN BLACK

Bridgelux
Led Chip


Lifud
Driver

Beam Angle
24°

CRI
>90

Protection Level
IP20

ALL PC
LENS TYPE



FLEXI COB DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFFX12W	12W	100LM/WATT	3K / 4K	1385.00	50
RFFX18W	18W	100LM/ WATT	3K / 4K	2120.00	50

BODY COLOUR : WHITE + WHITE, WHITE + GUN BLACK, + BLACK + BLACK

Bridgelux
Led Chip

Eaglerise
Driver

Beam Angle
50°

CRI
>90

Protection Level
IP20



APEX LED GRILL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFAG6W	6W	80LM/WATT	3 CCT	1003.00	50
RFAG10W	10W	80LM/ WATT	3 CCT	1357.00	40

BODY COLOUR : BLACK BODY + ROSE GOD, WHITE BODY + GUN BLACK

DOB
165-400V

CRI
>80

PF
>0.9


Protection Level
IP20

COB
LED CHIP





RELIABLE
LIGHT FOR
RELIABLE
SPACES.



ENERGY
SAVING



EXCELLENT
CRI > 80



LONGER-LIFE
Up to 30,000
Burning Hours*



HIGH
LUMEN



SURGE SHIELD
Up to 4 kV**



NO HARMFUL
UV/ IR
Radiation

LED INDOOR LIGHT



RIVON DEEP DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFRV7W	7W	700LM	WW/WH/NW	368.00	100
RFRV7W	7W	700LM	WH+WW	454.00	100

DOB
165-400V

CRI
>80

PF
>0.9

Protection Level
IP20

COB
LED CHIP



LUSTRA SPOT LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFLSL2W	2W	160LM	WH/WW/NW GR/ED/BL/PK	110.00	500



IGNITER LED STRIKER

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RIS01	3W	300LM	WH / WW	143.00	200
RIS02	3W	300LM	BL / PK / GR	147.00	200
RIS03	3W	300LM	3 IN 1 / RGB	162.00	200



BULK HEAD - LED LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
R1710	10W	-	WH / WW	325.00	100
R1711	20W	-	WH / WW	400.00	100



SURFACE LIGHT



PERFECT
 FLAWLESS DESIGN
 LIGHT,

FLAWLESS DESIGN

LED INDOOR LIGHT

XYLO SURFACE LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFXL7W	7W	700LM	WW/WH/NW	439.00	40
RFXL9W	9W	900LM	WW/WH/NW	646.00	40
RFXL9W	9W	900LM	CCT / 3 IN 1	801.00	40
RFXL15W	15W	1500LM	WW/WH/NW	803.00	40
RFXL15W	15W	1500LM	CCT / 3 IN 1	930.00	40
RFXL20W	20W	2000LM	WW/WH/NW	1033.00	40
RFXL20W	20W	2000LM	CCT / 3 IN 1	1307.00	40

CRI > 80

Beam Angle 120

Protection Level IP20

2 Year Warranty

COB LED CHIP

EDGE TO EDGE GLOW

TWIST AND LOCK FIT



ZUPER SURFACE LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RSL01	8W	800LM	WH / WW	420.00	36
RSL02	15W	1500LM	WH / WW	627.00	36
RSL03	15W (6x6)	1500LM	WH / WW	710.00	36
RSL04	22W	2200LM	WH / WW	787.00	36

BODY COLOUR : BLACK / WHITE



3 IN 1 ZUPER SURFACE LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RSL01	8W (4x4)	800LM	3 IN 1	523.00	36
RSL02	15W (5x5)	1500LM	3 IN 1	759.00	36
RSL03	15W (6x6)	1500LM	3 IN 1	909.00	36
RSL04	22W (6 x6)	2200LM	3 IN 1	983.00	36

BODY COLOUR : BLACK / WHITE



BUILT

GLOW

FOREVER





HIGH BRIGHTNESS
& ILLUMINATION

LED INDOOR LIGHT

LUMEO - LED DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	SIZE(MM)	M.R.P.	PKG
RFL001	7W	770LM	NW / WW	58X72	844.00	40
RFL002	12W	1320LM	NW / WW	72X88	1177.00	40
RFL003	18W	1980LM	NW / WW	-	1589.00	30/40

BODY COLOUR :


WHITE BODY +
BLUE CHROME

BLACK BODY +
RGD CHROME

BLACK BODY +
BLACK CHROME



The reflector is available separately.



ROME LED DOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFRD01	7W	70LM PER WATT	3K / 4K	1100.00	50
RFRD02	12W	70LM PER WATT	3K / 4K	1455.00	50

BODY COLOUR : ANTIQUE COPPER (AC) / ANTIQUE GREY (GB)



AXIS - LED TRACK LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	SIZE(MM)	M.R.P.	PKG
RFAT01	10W	1110LM	3 IN 1	50X130	1374.00	40
RFAT02	20W	2200LM	3 IN 1	65X150	1571.00	40
RFAT03	30W	3300LM	3 IN 1	75X170	2278.00	30

BODY COLOUR : BLACK / WHITE



AXIS - LED SPOT LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	SIZE(MM)	M.R.P.	PKG
RFAS01	10W	1110LM	3 IN 1	50X130	1374.00	40
RFAS02	20W	2200LM	3 IN 1	65X150	1571.00	40
RFAS03	30W	3300LM	3 IN 1	75X170	2278.00	30

BODY COLOUR : BLACK / WHITE



Energy Saving
upto
85%

105lm/w
Easy on eyes
Longer life



URBAN GLOW,
INSPIRED BY THOUGHT.

LED BULB



LUMIXIA LED BULB MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFLB9W	9W	945LM	WH	95.00	100
RFLB12W	12W	1260LM	WH	156.00	40
RFLB15W	15W	1575LM	WH	248.00	40
RFLB18W	18W	1890LM	WH	307.00	50

1 YEAR
WARRANTY



VOLTMAX HIGH WATTAGE LED BULB MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFVB20W	20W	2100LM	WH / WW	366.00	30
RFVB30W	30W	3150LM	WH / WW	531.00	20
RFVB40W	40W	4200LM	WH / WW	714.00	20
RFVB50W	50W	5250LM	WH / WW	952.00	20

1 YEAR
WARRANTY



GLORAY EMERGENCY LED BULB MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFGE9W	9W	945LM	WH / WW	535.00	100
RFGE12W	12W	1260LM	WH / WW	610.00	50
RFGE15W	15W	1575LM	WH / WW	936.00	20

1 YEAR
WARRANTY



4 IN 1 TORCH BULB MAKE IN INDIA

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFTB9W	9W	700LM	WH / WW	2012.00	100

1 YEAR
WARRANTY

SMART LIGHTING
FOR YOUR
DAILY LIVING.

- 

EASY
INSTALLATION
- 


ENERGY
SAVING
- 

HIGH BRIGHTNESS
SOFT & FLICKER-FREE
- 

4 kV SURGE
PROTECTION

T5 BATTEN LIGHT IS A SLEEK AND ENERGY-EFFICIENT LIGHTING SOLUTION IDEAL FOR BOTH COMMERCIAL AND RESIDENTIAL SPACES. WITH ITS SLIM PROFILE AND BRIGHT, UNIFORM ILLUMINATION, IT ENHANCES VISIBILITY WHILE MAINTAINING A MODERN AESTHETIC. EASY TO INSTALL AND LONG-LASTING, THE T5 BATTEN IS PERFECT FOR UNDER-CABINET LIGHTING, WORKSPACES, AND AMBIENT LIGHTING APPLICATIONS.

NEOBAR BATTEN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFNB22W	22W	2200LM	3K / 4K / 6K	300.00	80


Material Plastic Housing

CRI >80

Beam Angle 120

Protection Level IP20

SMD LED CHIP



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFNB36W	36W	3600LM	WH	1042.00	25

Material Aluminium Housing

CRI >80

Beam Angle 120

Protection Level IP20

SMD LED CHIP



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFNB52W	52W	5200LM	WH	1882.00	20

Material Aluminium Housing

CRI >80

Beam Angle 120

Protection Level IP20

SMD LED CHIP




Maximum
Brightness,
**MINIMUM
ENERGY.**

LED INDOOR LIGHT

METRIX

LED BATTEN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFMB45W	45W	4500LM	3K / 4K / 6K / 3 IN 1	1340.00	20
RFMB65W	65W	6500LM	3K / 4K / 6K / 3 IN 1	1730.00	20
RFMB85W	85W	8500LM	3K / 4K / 6K / 3 IN 1	2165.00	20

Material
Metal
Housing

CRI
>75

Beam Angle
120


Protection Level
IP20

SMD
LED CHIP

1 YEAR
WARRANTY

MUSHROOM

LED BATTEN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFMB36W	36W	3600LM	3K / 4K / 6K	700.00	20

Material
PVC
Housing

CRI
>75

Beam Angle
120


Protection Level
IP20

SMD
LED CHIP

1 YEAR
WARRANTY

MUSHROOM

LED BATTEN LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFMB50W	50W	5000LM	3K / 4K / 6K	1330.00	15

Material
PVC
Housing

CRI
>75

Beam Angle
120

Protection Level
IP20

SMD
LED CHIP

1 YEAR
WARRANTY

STYLISH
DESIGN,
MODERN
LOOK.



LED MIRROR LIGHT

MARION
MIRROR LIGHT



1 YEAR
WARRANTY

ITEM CODE	WATT	LUMENS	BODY COLOUR	COLOUR	M.R.P.	PKG
RF396WL/12W	12W	1200LM	GOLD + BLACK	CCT / 3 IN 1	3264.00	01
RF396WL/12W	12W	1200LM	GOLD + WOODEN	CCT / 3 IN 1	3776.00	01

TUCSON
MIRROR LIGHT



1 YEAR
WARRANTY

ITEM CODE	WATT	LUMENS	BODY COLOUR	COLOUR	M.R.P.	PKG
RF375WL/12W	12W	1200LM	COPPER (CP) / GOLD (GD)	CCT / 3 IN 1	3264.00	01

GENEVA
MIRROR LIGHT



1 YEAR
WARRANTY

ITEM CODE	WATT	LUMENS	BODY COLOUR	COLOUR	M.R.P.	PKG
RF776WL/6W	6W	600LM	RG+PKW / RG+BL	CCT / 3 IN 1	1506.00	01
RF776WL/6W	6W	600LM	PB + RG	CCT / 3 IN 1	1770.00	01
RF776WL/12W	12W	1200LM	RG+PKW / RG+BL	CCT / 3 IN 1	2202.00	01
RF776WL/12W	12W	1200LM	PB + RG	CCT / 3 IN 1	2458.00	01

LUTON
LED MIRROR LAMP




ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFLM12W	12W	1200LM	3K / 4K / 6K / 3 IN 1	1927.00	20
RFLM18W	18W	1800LM	3K / 4K / 6K / 3 IN 1	2281.00	20

SHAPE : SQUARE / ROUND

BODY COLOR : BLACK BODY / ROSE GOLD

- Premium Quality
- Bright & Energy Saving
- Modern Aesthetic
- Durable & Reliable

PERFECT BLAND OF
STYLE & FUNCTIONALITY.



ELVORA

LAMP HANGING LIGHT



ITEM CODE	WATT	LUMENS	BODY COLOUR	COLOUR	M.R.P.	PKG
RF257HL/12W	12W	1200LM	GD+BL	CCT / 3 IN 1	3178.00	01
RF257HL/12W	12W	1200LM	RG	CCT / 3 IN 1	3348.00	01



LUXORA


LAMP HANGING LIGHT



ITEM CODE	WATT	LUMENS	BODY COLOUR	COLOUR	M.R.P.	PKG
RF157HL/6W	6W	600LM	RD + GD + RG	CCT / 3 IN 1	3178.00	01
RF157HL/6W	6W	600LM	RD + RG	CCT / 3 IN 1	3348.00	01

URBAN

METAL LINER WALL LIGHT



ITEM CODE	WATT	LUMENS	BODY COLOUR	COLOUR	M.R.P.	PKG
RF098WL/12W	12W	1200LM	BLACK	CCT / 3 IN 1	1593.00	01
RF098WL/12W	12W	1200LM	GOLD / ROSEGOLD	CCT / 3 IN 1	1931.00	01



LED FOOT LIGHT

BRIGHT
IDEAS
FOR
YOUR
PATH



CODE	DESCRIPTION	HSN CODE	PRICE PER PC.	PKG	BULK PKG.
R1601	H-TYPE FOOT LIGHT	94051020	190.00	20	400



CODE	DESCRIPTION	HSN CODE	PRICE PER PC.	PKG	BULK PKG.
R1602	S-TYPE FOOT LIGHT	94051020	190.00	20	400



CODE	DESCRIPTION	HSN CODE	PRICE PER PC.	PKG	BULK PKG.
R1603	SMILY TYPE FOOT LIGHT	94051020	190.00	20	400



CODE	DESCRIPTION	HSN CODE	PRICE PER PC.	PKG	BULK PKG.
R1604	3M G-TYPE FOOT LIGHT	94051020	242.00	10	200
R1605	4M G-TYPE FOOT LIGHT	94051020	264.00	10	200



"BRINGING RADIANCE TO THE **GREAT OUTDOORS**"

Enhance your outdoor spaces with sleek, contemporary lighting that combines style and functionality. These black wall-mounted fixtures deliver a unique lighting effect, casting soft, ambient light both upward and downward. Perfect for patios, gardens, pathways, or balconies, they create a warm and welcoming atmosphere while adding a touch of elegance to any setting.



"YOUR HOME'S GUARDIAN GLOW"



Outdoor 2-way LED lights are excellent for illuminating outdoor spaces while enhancing safety and security. These versatile fixtures provide illumination in two directions, effectively lighting pathways, driveways, and garden areas. Designed with durability in mind, they withstand various weather conditions.

RAYONE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF019-1	1X1W	UP 90 LM/W	42 x 44 MM	3K	3618.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.

TWINRAY LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF019-2	2X1W	UP 90 LM/W	42 x 44 MM	3K	980.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

TWINRAY LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF019B-2	2X1W	UP 90 LM/W	42 x 44 MM	3K	1017.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5
----------------------------------	--	-------------------	------------	----------------------



VERTEX LED WALL LIGHT



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF020-2	2X1W	UP 90 LM/W	41 x 41 MM	3K	1281.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

HEXAGLOW LED WALL LIGHT



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF021-2	2X1W	UP 90 LM/W	-	3K	1281.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

ROUNDRAW LED WALL LIGHT



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF025-2	2X1W	UP 90 LM/W	-	3K	1508.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

"TRANSFORM OUTDOORS
WITH A **TOUCH OF LIGHT.**"



"LIGHT UP
THE NIGHT
ENHANCE
THE VIEW"





RAYZ LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF022-1	1X1W	UP 90 LM/W	-	3K	1244.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.

LUXE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF022-2	2X1W	UP 90 LM/W	-	3K	1281.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.

SHYN LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF024-1	1X1W	UP 90 LM/W	-	3K	1244.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

FLEX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF024-2	2X1W	UP 90 LM/W	-	3K	1281.00	01
BTF024B-2	2X1W	UP 90 LM/W	-	3K	1317.00	01


Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.



ILLUMINATE

EVERY ANGLE,
PERFECTLY BRIGHT!




B SERIES

PRISMATIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF1025	6X1W	UP 90 LM/W	-	3K	2637.00	01
BTF1025B	6X1W	UP 90 LM/W	-	3K	2789.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.



PRISMATIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF1025B-RGB	6X1W	UP 90 LM/W	-	RGB	3390.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.




B SERIES

CRYSTA LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF1027-4	4W	UP 90 LM/W	-	RGB	2295.00	01
BTF1027B-4	4W	UP 90 LM/W	-	RGB	2380.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.




B SERIES


ORBIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF047-4	4W	UP 90 LM/W	-	3K	1700.00	01
BTF047B-4	4W	UP 90 LM/W	-	3K	1785.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.






B SERIES

EVO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF2033-1	2W	UP 90 LM/W	-	3K	935.00	01
BTF2033B-1	2W	UP 90 LM/W	-	3K	1004.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.




B SERIES

LUNA LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF2033B-2	4X1W	UP 90 LM/W	-	3K	1623.00	01
BTF2033B-2	4X1W	UP 90 LM/W	-	RGB	2109.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	--

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

OPTIX LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF2033B-4	8W	UP 90 LM/W	-	3K	2719.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES

ZEON LED WALL LIGHT


ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF2033B-6	12W	UP 90 LM/W	-	3K	3825.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.

LIGHT UP THE NIGHT, DEFINE YOUR SPACE.

Introducing our PRISMA Wall Light, a sophisticated and durable lighting solution designed to enhance the beauty and functionality of your outdoor spaces. Crafted with quality materials and advanced technology, our wall lights provide reliable illumination while adding a touch of elegance to your home's exterior.




B SERIES



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
1081-2	2W	UP 90 LM/W	-	3K	935.00	01
1081B-2	2W	UP 90 LM/W	-	3K	1004.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.



B SERIES



ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF028-4	4W	UP 90 LM/W	-	3K	1700.00	01
BTF028B-4	4W	UP 90 LM/W	-	3K	1785.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.



ELYTE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BZF01-1	3W	UP 90 LM/W	-	3K	1657.00	01
BZF03-2	3W	UP 90 LM/W	-	3K	1956.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	
----------------------------------	--	-------------------	------------	----------------------	---

Body Colour : Grey | Master Pack : 100 Pcs.



LENSO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
1089	5W	UP 90 LM/W	-	3K	612.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.

GLARE LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
BTF031-2	2W	UP 90 LM/W	-	3K	1616.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.

CUBO LED WALL LIGHT

ITEM CODE	WATT	LUMENS	DIMENSION	COLOUR	M.R.P.	PKG
1066S	3W	UP 90 LM/W	-	3K	552.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	-----------------

Body Colour : Grey | Master Pack : 100 Pcs.



CRAFTED TO SHINE
BEYOND EXPECTATIONS

GARNET LED SPIKE LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
RFGSL7W	7W	700LM	WW	1677.00	40
RFGSL7W	7W	700LM	RGB	1947.00	40
RFGSL12W	12W	1200LM	WW	2098.00	40
RFGSL12W	12W	1200LM	RGB	2380.00	40



**LIGHTING THAT GREETSS
YOU WITH A GLOW.**

GRACE LED UPDOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
BTFG2W	2W	UP 90 LM/W	3K	570.00	01
BTFG2W	2W	UP 90 LM/W	RGB AUTO	888.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



GRACE LED UPDOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
BTFG4W	4W	UP 90 LM/W	3K	776.00	01
BTFG4W	4W	UP 90 LM/W	RGB AUTO	1163.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



GRACE LED UPDOWN LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
BTFG6W	6W	UP 90 LM/W	3K	965.00	01
BTFG6W	6W	UP 90 LM/W	RGB AUTO	1335.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



ROLEX LED OUTDOOR WALL LIGHT

ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
BTFR4W	4W	UP 90 LM/W	3K	655.00	01
RTFR4W	4W	UP 90 LM/W	RGB AUTO	1000.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	---------------------------

Body Colour : Grey | Master Pack : 100 Pcs.



ELEGANT GLOW FOR
EVERY STEP.

COZY STAIR LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
GTM209	-	UP 90 LM/W	3K	1986.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

AURT STAIR LIGHT




ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
8023R	-	UP 90 LM/W	3K	1519.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

ACCENT STAIR LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
8020S	-	UP 90 LM/W	3K	1519.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------

Body Colour : Grey | Master Pack : 100 Pcs.

ELEGANT STAIR LIGHT



ITEM CODE	WATT	LUMENS	COLOUR	M.R.P.	PKG
8074	-	UP 90 LM/W	3K	891.00	01

Operating Temp. -10°C to 45°C	Operating Voltage 85-265V~, 50/60Hz	Beam Angle 60°	CRI >80	Power Factor >0.5	1 YEAR WARRANTY
----------------------------------	--	-------------------	------------	----------------------	------------------------














Body Colour : Grey | Master Pack : 100 Pcs.















Let's Switch to Brighter World

LIGHTING UP YOUR MOMENTS.

LED aluminum housing profiles are essential components for modern LED lighting applications. They provide structural support and aesthetic appeal, ensuring durability, heat dissipation, and improved light diffusion for LED strips. Typically made from high-grade aluminum, these profiles are lightweight, corrosion-resistant, and long-lasting, making them ideal for both indoor and outdoor lighting projects.

	BODY SIZE	ITEM	LENGTH / PER PC.	QTY. / PER CARTON	M.R.P. / PER MTR.
		YF839A/10MM CC	2 MTR.	400	145.00
		YF839/10MM SF	2 MTR.	400	141.00
		YF123A/14MM CC	2 MTR.	400	145.00
		YF123C/14MM SF	2 MTR.	400	141.00
		YF801E/25MM CC	2 MTR.	400	164.00
		YF801E/25MM CC	3 MTR.	300	164.00
		YF802E/25MM SF	2 MTR.	400	160.00
		YF802E/25MM SF	3 MTR.	300	162.00
		YF870/5MM CC	2 MTR.	600	102.00

	BODY SIZE	ITEM	LENGTH / PER PC.	QTY. / PER CARTON.	M.R.P. / PER MTR.
		YF841/5MM SF	2 MTR.	600	97.00
		YF102E/17MM CC 35 GRAM	2 MTR.	400	87.00
		YF102E/17MM CC 35 GRAM	3 MTR.	600	87.00
		YF103E/17MM SF 35 GRAM	2 MTR.	400	87.00
		YF103E/17MM SF 35 GRAM	3 MTR.	600	87.00
		YF102C/17MM CC 60 GRAM	2 MTR.	400	162.00
		YF103C/17MM SF 60 GRAM	2 MTR.	400	154.00
		YF121/CORNER	2 MTR.	400	134.00

WIRELESS DOORBELL



38
POLYPHONY
SOUNDS



Upgrade your entrance with the power of wireless! Simple, sleek, and reliable. Our wireless doorbell ensures you never miss a visitor. Modern homes deserve modern welcomes, and it all starts with just one ring.



CODE	DESCRIPTION	PRICE PER PC.	PKG	BULK PKG.
RFRB01	CHIMEX WIRELESS DOORBELL	1514.00	-	60



CODE	DESCRIPTION	PRICE PER PC.	PKG	BULK PKG.
RFRB02	VELO WIRELESS DOORBELL	1562.00	-	60



CODE	DESCRIPTION	PRICE PER PC.	PKG	BULK PKG.
RFRB03	ECHO WIRELESS DOORBELL	1480.00	-	60



CODE	DESCRIPTION	PRICE PER PC.	PKG	BULK PKG.
W-014	WIRELESS DOORBELL - WHITE	1752.00	-	60
W-014	WIRELESS DOORBELL - BLACK	1752.00	-	60



Let's Switch to Brighter World

COMING SOON





Let's Switch to Brighter World

